


Comprehensive Methylation Panel with Methylation Pathway Analysis



READ IT. LEARN IT. LIVE IT.

We recommend that you read and understand the Methylation Pathway Analysis and the book Genetic ByPass you received with the test; comprehending the science will enable you to choose the most advantageous regime in order to help you reach and maintain an optimum level of health and wellness.

*With love & hope,
Dr. Amy*

All rights reserved. This work in whole or in part, may not be copied nor reproduced without the express written permission of Holistic Health International
Copyright 2009, Holistic Health International

Disclaimer: This information is presented by independent medical experts whose sources of information include studies from the world's medical and scientific literature, patent records and other clinical and anecdotal reports. The publisher, author and/or experts specifically cited in this publication are not responsible for any consequences, direct or indirect, resulting from and reader's action(s). This information is not intended to be a substitute for consultation with a health care provider. You, the reader, are instructed to consult with your personal health care provider prior to acting on any suggestions contained herein. The purpose of this information is to educate the reader. The material enclosed is for informational purposes only and is not a medical device and, as such, is not intended for the diagnosis, cure, prevent or treatment of disease.

SNP Results and Nutritional Methylation Pathway Analysis



The results of this test should help to put your mind at ease by giving you suggestions that you can actually act on. I only believe in genetic testing if it gives you information that translates into positive constructive action. My personal belief is that genetic testing without any knowledge of how to address issues that are uncovered is unethical. My ultimate goal is to use the Nutrigenomic testing as a guide to proper supplementation to bypass genetic weaknesses that are uncovered by SNP results. The purpose of this MPA or nutritional Methylation Pathway Analysis is to serve as a tool to help you to understand what supplements, herbs and vitamins you can use to bypass weaknesses in a particular nutritional pathway in your body.



While there are a number of other Nutrigenomic tests available on the market, what is special about this test and analysis is that it comprehensively looks at one pathway, what I call the “Methylation Cycle” (“Genetic Bypass”, Dr Amy Yasko). I see the Methylation Cycle as the intersection of several important pathways in the body, the common point is a need for “methyl” groups. Methyl groups are simply small chemical compounds whose structure is similar to water. Where water is H_2O , a methyl group is CH_3 . The ability to generate and move these groups is critical to health; these groups are needed for a large number of reactions in the body. “Methylation takes place over billion times a second in the body. It is like one big dance, with bio-chemicals passing methyl groups from one partner to another” (The H Factor, Dr. James Braly and Patrick Holford).



One way to think about the difference between this analysis and others is to think of it in terms of a road map. If you wanted to travel from your hometown to my hometown in Maine you would need a map with detailed directions. This would be especially important if certain roads along the way were closed due to construction, bridges out because of flooding, or other road detours. It would help to have a detailed map drawn for you that took all of these specific situations into account. Your Nutrigenomic test tells you where the “construction” sites are located, which bridges are out and where detours are on your individualized map. With this knowledge you can put together an analysis that will help you get from your hometown to my hometown without getting stuck in a ditch or lost on a detour. The more information you have about specific genes in this particular pathway the easier it is to construct your personal map. This is analogous to having the model of your car, knowing how many miles per gallon you get, how often you feel that you need to stop at a rest area and when you need to fill your tank or take a break from driving. With this information you are in a better position to plan your trip. This is different from other tests that may tell you where your hometown is located and your destination lies on the map, but without any of the specific information between the two points. Without the details, you do not know if the route you may choose has been closed, if the bridge is out, or if there is a detour that will add more time to your travel. Given only a starting and stopping point means the rest of the trip is simply guesswork. The Nutrigenomic test and MPA are designed to take the guesswork out of your trip to health and wellness. While other Nutrigenomic tests look at isolated genes in a wide range of pathways, this test is designed to look comprehensively at a very critical pathway in the body and from that construct a personal road map to health and wellbeing.



Before we get to the specific results of your Nutrigenomic test and the supplement suggestions to help you on your road to health and wellness, it is important to understand that most mutations or SNP variations that are revealed are NOT “all or none mutations”. In other words, if you or your loved one has a mutation or a SNP variation, it does not mean that the activity of this gene is completely “off”. It may simply mean that it functions at lower efficiency. When you look at the suggested nutritional support, you are working to increase the ability of the entire methylation cycle to run properly, keeping in mind that it has been functioning to some degree in spite of any mutations in particular genes. This is a good opportunity to also explain that a variation or maturation does not always mean a gene is not working at optimal efficiency. Rather, it may sometimes mean that it is working at an increased level. The basic assumption is often made thinking the gene involved is decreased or impaired; however, changes in the DNA sequence can result in an increased activity in the gene. Additionally, changes in the DNA sequence can result in a lack of normal regulation of the gene involved.



Just as the physical location of your hometown and my hometown will not change on a map, your genetics also will not change over time. For this reason this MPA will serve as a road map for your future. Knowledge of your genetics is like having an ultrasound that allows you to see inside of your own individual DNA and to use this information for prevention of potential health issues. Suggestions that are made may be valid today, as well as next week, next year or ten years from now. Once you slowly implement your supplementation, your body can start to support the mutations, this helps in supporting the Methylation Cycle to function properly. This in turn should help your body to detoxify properly.

Unlike genetic tests, biochemical tests will change over time. Biochemical testing measures the amount or activity of a particular enzyme or protein from a sample of urine or stool. Biochemical testing can be used to assess the effect of supplementation on your system. Ideally, the goal is to understand that knowledge is power and knowledge of your genetics, including any mutations, can give you the information you need to make informed decisions on how to supplement and bypass these weaknesses in your system. You can then use biochemical testing (Urine Essential Elements, Urine amino acids, metabolic analysis and urine toxic metal testing) to monitor the progress of your supplementation to bypass your mutations.

You can go to:

<http://www.holisticheal.com> for more information on biochemical testing.



For those of you who are interested for more in depth information about the Methylation Cycle and the genes involved in this pathway including an understanding of which genes have increased activity, which have regulation problems and those which have reduced activity, I would suggest reading the Genetic Bypass book that you received with your nutrigenomic test kit, or take advantage of the discussion group at <http://www.ch3nutrigenomics.com>. The following personalized analysis is a streamlined format, designed to help you to make choices about specific supplements to bypass any roadblocks on your way to health but does not contain the detailed information that is in the Genetic Bypass Book.

More information can be found on our following sites:

<http://www.holistichealth.com>
<http://www.knowyourgenetics.com>
<http://www.recovermychild.com>

For anyone with neurological imbalances, I would suggest reading the book

“The Puzzle of Autism: Putting It all Together”.

This book has protocols that support detoxification, neurological inflammation, support nerve growth and more; it is not just for autism.


Wishing you good health always,

Amy Yasko, Ph.D

Description Of Genes

The following is a very brief description of the genes that are included in this nutrigenomic panel, including information to help you to understand why it is important to look at nutritional supplementation for any imbalances in the body. Again, for those who would like more detailed and comprehensive information, consider reading **“The Genetic Bypass”** book as well as joining the discussion group at:

www.ch3nutrigenomics.com



COMT (*catechol-O-methyltransferase*):

A primary function of this gene is to help to break down dopamine. Dopamine is a neurotransmitter that is recognized for its role in attention, as well as reward seeking behavior. Dopamine helps to cause pleasurable feelings that aid in reinforcing positive behaviors and motivating individuals to function in certain reward gaining activities. COMT is also involved in the breakdown of another neurotransmitter, norepinephrine. The balance between norepinephrine levels and dopamine levels has been implicated in ADD/ADHD; in addition, dopamine levels are important in conditions such as Parkinson's disease. COMT is also involved in the proper processing of estrogen in the body. Sensitivity to pain has recently been found to be correlated with COMT activity, such that COMT + + individuals may be more sensitive to pain.

VDR/Taq and VDR/Fok (*vitamin D receptor*):

The panel looks at more than one portion of the vitamin D receptor, the Taq as well as the Fok sites. While the Fok change has been related to blood suMPA regulation, changes at Taq can affect dopamine levels. For this reason it is important to look at the composite of the COMT and VDR/Taq status and make supplement suggestions based on the combined results at these two sites. The focus on changes in the Fok portion of the VDR is in reMPAd to supplements that support the pancreas and aid in keeping blood suMPA in the normal healthy range.

MAO A (*monoamine oxidase A*):

MaoA is involved in the breakdown of serotonin in the body. Like dopamine, serotonin is another neurotransmitter in the body. It is involved with mood, and imbalances in serotonin levels have been associated with depression, aggression, anxiety and OCD behavior. Since Mao A is inherited with the X chromosome and is considered a dependent trait it may not show standard inheritance characteristics in males. Since the X chromosome in males can only come from the mother, this means that the fathers Mao A mutations (or lack there of) does not play a role in their son's Mao A status. For females, since one X chromosome is inherited from each parent, the genetics tend to reflect the Mao A status of both parents.

ACAT (*acetyl coenzyme A acetyltransferase*):

ACAT plays a role in cholesterol and other lipid balance in the body, helping to prevent the accumulation of excess cholesterol in certain parts of the cells in the body. ACAT is also involved in energy generation in the body. It is involved in helping to allow protein, fats and carbohydrates from food to be converted into an energy form that can be used by your body. In addition, lack of ACAT may also cause a depletion of B12, which is needed for the "long route" around the methylation cycle.

ACE (*angiotensin converting enzyme*):

Changes can occur that affect the activity of the ACE gene that can lead to elevated blood pressure. In animal studies imbalances in this pathway were also correlated with increased anxiety and decreases in learning and memory. Increased ACE activity can also throw off the essential mineral balance in the your system due to decreased excretion of sodium in the urine and increased excretion of potassium in the urine. This reaction is also tied to the stress response such that situations of

chronic stress can result in additional sodium retention and increased potassium excretion. This excess potassium is excreted provided that the kidneys are functioning properly. In the event that kidney function is compromised, it can lead to the retention of potassium in the body. ACE is a deletion, it is not a SNP. As a consequence it does not associate in the same manner that the other single nucleotide polymorphisms (SNP) on this panel do, so the inheritance pattern of the ACE deletion may not distribute in the same manner as single base changes.

MTHFR (*methylenetetrahydrofolate reductase*):

The MTHFR gene product is at a critical point in the methylation cycle. It helps to pull homocysteine into the cycle, serving to aid in keeping the levels in a normal healthy range. Several mutations in the MTHFR gene have been well characterized as increasing the risk of heart disease, as well as cancer, and may play a role in the level of the neurotransmitters serotonin and dopamine.

MTR/MTRR (*methionine synthase/ methionine synthase reductase*):

These two gene products work together to regenerate and utilize B12 for the critical “long way” around the methylation pathway, helping to convert homocysteine to methionine. High levels of homocysteine have been implicated as risk factors in a number of health conditions including heart disease as well as Alzheimer’s disease. As is the case for COMT and VDR Bsm/Taq, the MTR and MTRR composite status is also important. Mutations in MTR can increase the activity of this gene product so that it leads to a greater need for B12 as the enzyme is using up B12 at a faster rate. The MTRR helps to recycle B12 for use by the MTR. Mutations that affect its activity would also suggest a greater need for B12.

BHMT (*betaine homocysteine methyltransferase*):

The product of this gene is central to the “short cut” through the methylation cycle, again helping to convert homocysteine to methionine. The activity of this gene product can be affected by stress, by cortisol levels and may play a role in ADD/ADHD by affecting norepinephrine levels.

AHCY 1,2,19 (*S adenosylhomocysteine hydrolase*):

AHCY is the enzyme that converts s adenosyl homocysteine (SAH) to adenosine and homocysteine. Decreased AHCY activity should lead to lower levels of homocysteine. Studies using animals with no CBS function suggests that the relationship between CBS enzyme activity, homocysteine levels and SAH and SAME levels may not be as simple or predictable as one might expect from pathway diagrams. In addition, both SAH and SAME have been found to affect CBS activity and SAH is known to inhibit methyltransferase reactions. Also the level of homocysteine affects SAH levels such that higher levels of homocysteine can increase SAH. Clearly, the relationship between these intermediates appears to be complex. (PNAS 2008, 103:17; Theoretic Biology and Medical Modelling 2008, 5:8; JBC 2002, 277:41; Jnutrition 2002,132) It may be especially important for those with AHCY mutations to monitor amino acid levels in order to balance the effects of AHCY mutations, CBS up regulations and other methylation cycle mutation on the system.

CBS (*cystathionine-beta-synthase*):

The CBS enzyme basically acts as a gate between homocysteine and the downstream portion of the pathway that generates ammonia in the body. The types of CBS mutations that are identified on this SNP panel cause this “CBS gate” to be left open, this “open gate” is not a neutral situation. The “open gate” can allow support that is added for the rest of the methylation pathway to be depleted,

including any B12 that is used to address MTR and MTRR mutations. While there are some positive end products that are generated via the downstream portion of the pathway such as glutathione and taurine, there are also negative byproducts such as excess ammonia and sulfites. By virtue of increased CBS activity, these sulfur groups that were complexed as part of the methylation cycle can now be released into the system as sulfites which are toxic to the body and put an additional burden on the SUOX gene product.

SUOX (*sulfite oxidase*):

This gene product helps to detoxify sulfites in the body. Sulfites are generated as a natural byproduct of the methylation cycle as well as ingested from foods we eat. Sulfites are sulfur based preservatives that are used to prevent or reduce discoloration of light-colored fruits and vegetables, prevent black spots on shrimp and lobster, inhibit the growth of microorganisms in fermented foods such as wine, condition dough, and maintain the stability and potency of certain medications. Sulfites can also be used to bleach food starches, to prevent rust and scale in boiler water that is used to steam food, and even in the production of cellophane for food packaging. The Food and Drug Administration estimates that one out of a hundred people is sulfite-sensitive, and five percent of those also suffer from asthma. A person can develop sulfite sensitivity at any point in life. Because many reactions have been reported, the FDA requires the presence of sulfites in processed foods to be declared on the label. Scientists have not pinpointed the smallest concentration of sulfites needed to trigger a reaction in a sulfite-sensitive person. Difficulty in breathing is the most common symptom reported by sulfite-sensitive people. Sulfites give off the gas sulfur dioxide, which can cause irritation in the lungs, and cause a severe asthma attack for those who suffer from asthma. Responses in the sulfite-sensitive person can vary. Sulfites can cause chest tightness, nausea, hives and in rare cases more severe allergic reactions. Mutations in SUOX may be a risk factor for certain types of cancer, including leukemia.

SHMT (*serine hydroxymethyltransferase*):

This gene product helps to shift the emphasis of the methylation cycle toward the building blocks needed for new DNA synthesis and away from the processing of homocysteine to methionine. While DNA building blocks are important, mutations which affect the ability to regulate this gene product and interfere with the delicate balance of the methylation cycle may cause accumulations in homocysteine as well as imbalances in other intermediates in the body.

NOS (*nitric oxide synthase*): The NOS enzyme plays a role in ammonia detoxification as part of the urea cycle. Individuals who are NOS + + have reduced activity of this enzyme. NOS mutations can have additive effects with CBS up regulations due to the increased ammonia that is generated by the CBS up regulations.

The following page has the results of your test. The following is a guide to use.

Minus “-” represents no mutation

Plus “+” represents a mutation

“-/-” indicates there is no mutation.

“+/-” indicates there is one mutation.

“+/+” indicates there is a double mutation.

Please note: The results column is color coded to correspond with the level of the support needed as listed in the suggested supplementation section of the MPA.

Gene Name	Variation	Result	Call
COMT	V158M	-/-	G
COMT	H62H	-/-	C
COMT	61	-/-	G
VDR	Taq	Tt	Hetero
VDR	Fok	Ff	Hetero
MAO A	R297R	+/+	T
ACAT	1-02	-/-	G
MTHFR	C677T	+/-	Hetero
MTHFR	3	-/-	C
MTHFR	A1298C	-/-	A
MTR	A2756G	-/-	A
MTRR	A66G	+/-	Hetero
MTRR	H595Y	+/-	Hetero
MTRR	K350A	+/-	Hetero
MTRR	R415T	-/-	C
MTRR	S257T	-/-	T
MTRR	11	-/-	G
BHMT	1	-/-	A
BHMT	2	+/-	Hetero
BHMT	4	+/-	Hetero
BHMT	8	+/-	Hetero
AHCY	1	-/-	A
AHCY	2	-/-	T
AHCY	19	-/-	A
CBS	C699T	-/-	C
CBS	A360A	+/+	T
CBS	N212N	-/-	C
SUOX	S370S	-/-	No Support Needed
SHMT	C1420T	+/+	A
NOS	D298E	-/-	G

EY 990017587 GPS 990017587

Suggested supplementation for consideration based on Thomas Rubens personal SNP results:

Please note: If a supplement is listed for more than one mutation, please take only one recommended dose of that supplement.

TOP STEP ONE SUPPLEMENTS/ Nutritional Groundwork

- 2-3 Neurological Health Formula (HHI General Vitamin)
- 1-2 MTHFR A1298C+/ Liver Support Compound Supplement
- 1 VDR Fok/Pancreatic Compound Supplement
- 1-2 Ultimate B Complex Compound
- 15-40 mg Zinc
- 1 OraKidney
- 1 Cod Liver Oil
- 3 Special Digestive Enzymes , 1 With Meals
- Resveratrol Spray
- 1 OraAdrenal (Ora-Adren-80)
- 1 Immuno Forte
- 1 or more GABA
- 1 Pycnogenol
- 1 Grape Seed Extract
- 500mg Vitamin C
- Probiotics, Several Types- Rotate Daily
- Cell Food
- Vita D-Light Spray or Vitamin D , (in NaturoMycin Spray)
- 1 Vitamin K (Super K), (In VDR/Fok, ACAT, MitoForce)
- 1 Cholacol, (In ACAT, MitoForce)
- BioNativus
- BeCalm Spray
- Basic Mineral Support, in place based on Urinary Essential Elements Test (UEE)
- General Inflammatory Pathway Support RNA
- Bowel Inflammatory Pathway Support RNA
- Cytokine Balance Inflammatory Pathway Support (Behavior Support Formula)
- Nerve Calm RNA
- Stress Foundation RNA
- Fatigue Support RNA (CFS Adults)
- BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST**

Before adding B12 Check Lithium

- , If levels are low in hair, blood or urine or excreting very high levels consider:
- BeCalm Spray
- Low Dose Lithium Orotate
- All in One (Coming Soon)
- Lithia Water

BASIC METHYLATION CYCLE SUPPORT FOR ALL

- MethylMate A Compound
- MethylMate B Drops
- 2 - 3 Neurological Health Formula (HHI General Vitamin)
- Hydroxy B12 Mega Drops
- Hydroxy B12 spray (GET-B12)
- 1x / day Methylation Support RNA
- at least 1x / week Kidney Inflammatory Pathway Support RNA
- at least 1x / week Liver RNA (Organ)

Suggested Basic ACE Support for All

- ACE + Mutation Specific Formula RNA
- Low Dose Stress Foundation RNA
- Low Dose Kidney Inflammatory Pathway Support RNA
- CBS/NOS /Kidney Compound
- 1/2 OraAdrenal (Ora-Adren-80)
- Low Dose Progesterone Cream (Pro-Gest Cream)

COMT V158M (COMT H62H) -/- VDR/Taq Tt

- COMT V158M - - Mutation Specific Formula RNA
- VDR Taq + Mutation Specific Formula RNA
- Methyl Max Compound Supplement
- Methyl B12 Mega Drops
- Hydroxy B12 spray (GET-B12)
- 1 Methylcobalamin B12 Chewable
- 1 Hydroxycobalamin B12 Chewable
- Melatonin Sleep Spray, or Melatonin if needed at bedtime
- 1 SAME, (Low Dose in Methyl Max)
- Vita D-Light Spray or Vitamin D , (Low dose in Methyl Max)
- BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST**

VDR FOK Ff

- VDR Fok + Mutation Specific Formula RNA
- VDR Fok/Pancreatic Compound Supplement
- Special Digestive Enzymes , with each meal
- Vita D-Light Spray or Vitamin D
- 1 to 3 GABA, per day (Low dose In VDR)
- Watch Chromium and Vanadium levels on UEE test
- BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST**

MAO A +/-

- MAO A + Mutation Specific Formula RNA, or Mood S
- SeroMood Compound Supplement
- BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST**

MTHFR C677T +/-

- MTHFR C677T + Mutation Specific Formula RNA
- 1 MTR/MTRR/SUOX Basic Methylation Support/ Sulfite Ingestion Compound Supplement
- Add multiple routes/forms of B12 support gradually increasing doses over time
- Hydroxy B12 Mega Drops
- Adenosyl B12 Mega Drops
- Methyl B12 Mega Drops , (depending on comt/taq status)
- Hydroxy B12 spray (GET-B12)
- MethylMate B Drops
- B12 Patch
- Chewable B12 tables(mix of hydroxyl, methyl,adenosyl depending on COMT/taq status)
- B12 Gum, if able to chew gum
- Nasal B12 (Choice of Hydroxy or Methyl depends on COMT/taq status)
- B12 Injections(choice of Hydroxy or Methyl depends on COMT/Taq Status)
- 1 to 2 DMG , after 8 or more weeks of support daily
- BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST**

MTRR A66G +/-

- MTR/MTRR + Mutation Specific Formula RNA
- 1 MTR/MTRR/SUOX Basic Methylation Support/ Sulfite Ingestion Compound Supplement
- Add multiple routes/forms of B12 support gradually increasing doses over time
- Hydroxy B12 Mega Drops
- Adenosyl B12 Mega Drops
- Methyl B12 Mega Drops , (depending on Comt/Taq Status)
- Hydroxy B12 spray (GET-B12)
- MethylMate B Drops
- B12 Patch
- Chewable B12 tables(mix of hydroxyl, methyl,adenosyl depending on COMT/taq status)
- B12 Gum, (if able to chew)
- Nasal B12 (Choice of Hydroxy or Methyl depends on COMT/taq status)
- B12 Injections(choice of Hydroxy or Methyl depends on COMT/Taq Status)
- 1 to 2 DMG , after 8 or more weeks of support
- BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST**

MTRR H595Y +/-

- MTR/MTRR + Mutation Specific Formula RNA
- 1 MTR/MTRR/SUOX Basic Methylation Support/ Sulfite Ingestion Compound Supplement
- Add multiple routes/forms of B12 support gradually increasing doses over time
- Hydroxy B12 Mega Drops
- Adenosyl B12 Mega Drops
- Methyl B12 Mega Drops , (depending on Comt/Taq status)
- Hydroxy B12 spray (GET-B12)
- MethylMate B Drops

- B12 Patch, daily
- Chewable B12 tables(mix of hydroxyl, methyl,adenosyl depending on COMT/taq status)
- B12 Gum, if able to chew gum
- Nasal B12 (Choice of Hydroxy or Methyl depends on COMT/taq status)
- B12 Injections(choice of Hydroxy or Methyl depends on COMT/Taq Status)
- 1 - 2 DMG , add after 8 or more weeks of support
- BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST**

MTRR K350A +/-

- MTR/MTRR + Mutation Specific Formula RNA
- 1 MTR/MTRR/SUOX Basic Methylation Support/ Sulfite Ingestion Compound Supplement
- B12, add multiple routes/forms of support, gradually increasing doses over time
- Hydroxy B12 Mega Drops
- Adenosyl B12 Mega Drops
- Methyl B12 Mega Drops , (depending on COMT/Taq Status)
- Hydroxy B12 spray (GET-B12)
- MethylMate B Drops
- B12 Patch, daily
- Chewable B12 tables(mix of hydroxyl, methyl,adenosyl depending on COMT/taq status)

- B12 Gum, if able to chew gum
- Nasal B12, choice of Hydroxycobalamin or Methylcobalamin depends on COMT/VDR status
- B12 Injections(choice of Hydroxy or Methyl depends on COMT/Taq Status)
- 1 - 2 DMG , add after 8 or more weeks of support
- BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST**

BHMT 2 +/-

- BHMT 1,2,4 + Mutation Specific Formula RNA
- 3 ACAT/BHMT Compound
- GSH Caps
- BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST**

BHMT 4 +/-

- BHMT 1,2,4 + Mutation Specific Formula RNA
- 3 ACAT/BHMT Compound
- GSH Caps
- BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST**

BHMT 8 +/-

- BHMT 8 + Mutation Specific Formula RNA
- MTHFR A1298C+/ Liver Support Compound Supplement
- Hydroxy B12 Mega Drops
- Hydroxy B12 spray (GET-B12)
- 1 DMG
- 2 Hydroxycobalamin B12 Chewable

SAMe, If tolerated

BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST

CBS A360A +/-

CBS + Mutation Specific Formula RNA and/or Ammonia Support Formula RNA, (before using check taurine levels on UAA)

CBS/NOS /Kidney Compound

Hydroxy B12 Mega Drops

Hydroxy B12 spray (GET-B12)

Black Bear Energy Spray

Limit Sulfur and limited B6 (or P5P)

as needed Charcoal/Magnesium Flush (Activated Charcoal/Magnesium Citrate flushes)

1 Hydroxycobalamin B12 Chewable

Limit Taurine

BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST

SHMT +/-

SHMT + Mutation Specific Formula RNA

1 AHCY/SHMT Iron Related Bacterial Issues Compound, with each meal

3X/Day SHMT + Spray

Ultimate B Complex Compound

BASIC METHYLATION CYCLE SUPPORT SUPPLEMENT LIST

References

- A Simplified Description of DNA Methylation. <http://dnamethysoc.server101.com>.
- Abernathy, Charles O. et al. Arsenic: Health Effects, Mechanisms of Actions, and Research Issues. *Environmental Health Perspectives*. July 1999; 107(7).
- Allelic Variants. <http://srs.sanger.ac.uk/srsbin/cgi-bin/wgetz>
- Alternation of DNA Methylation Could Be the Way to Cell Aging. www.innovitaresearch.org. June 25, 2003.
- Altindag, ZZ et al. Effects of the metals on dihydropteridine reductase activity. *Toxicology In Vitro*. October-December 2003; 17(5-6):533-7.
- Altmann P et al. Serum aluminum levels and erythrocyte dihydropteridine reductase activity in patients on hemodialysis. *New England Journal of Medicine*. July 9, 1987; 317(2):80-4.
- Aras, O et al. Influence of 699C-->T and 1080C--> polymorphisms of the cystathionine B-synthase gene on plasma homocysteine levels. *Clinical Genetics*, December 2000; 53(6):455.
- Arsenate Reduction and Arsenite Methylation. *Arsenic in Drinking Water*. Commission on Life Sciences. The National Academies Press. 1999.
- Barak, AJ et al. Betaine effects on hepatic methionine metabolism elicited by short-term ethanol feeding. *Alcohol*. Sept-Oct. 1996; 13(5):483-6.
- Bensemam, F et al. Association study of the Ornithine Transcarbamylase Gene with Alzheimer's disease. 7e Colloque de la Societe des neurosciences. Lille 2005, C.14.
- Bergman, Yehudit et al. A Stepwise Epigenetic Process Controls Immunoglobulin Allelic Exclusion. *Nature Reviews Immunology*. October 2004; 4:753-761.
- Beyer, Katrin et al. Cystathionine Beta Synthase Could Be A Risk Factor for Alzheimer Disease. *Current Alzheimer Research*. May 2004; 1(2):127-133.
- Beyer, K et al. Methionine synthase polymorphism is a risk factor for Alzheimer disease. *Neuroreport*. July 18, 2003; 14(10):1391-4.
- Bhave, MR et al. Methylation status and organization of the metallothionein-I gene in livers and testes of strains of mice resistant and susceptible to cadmium. *Toxicology*. Aug 1988; 50(3):231-45.
- Bodamer OA et al. Creatine metabolism in combined methylmalonic aciduria and homocystinuria. *Ann Neurology*. March 22, 2005; 57(4):557-560.
- Boodman, Sandra. Experts Question Rise in Pediatric Diagnosis of Bipolar Illness, a Serious Mood Disorder. *Washington Post*. February 15, 2005.
- Bosco, P et al. Methionine synthase (MTR) 2756 (A --> G) polymorphism, double heterozygosity methionine synthase 2756 AG/methionine synthase reductase (MTRR) 66 AG, and elevated homocysteinemia are three risk factors for having a child with Down syndrome. *American Journal of Medical Genetics*. Sept 1, 2003; 121(3):219-24.
- Bradley TJ et al. MS.Binding of aluminium ions by Staphylococcus aureus 893. *Experientia*. November 15, 1968; 24(11):1175-6.

Bussell, Katrin. RITs (RNA-induced initiation of transcriptional gene silencing) binding to heterochromatic loci enables RNAi machinery to function in is to destroy aberrant RNAs and generate siRNAs for heterochromatic maintenance. *Nature Reviews Molecular Cell Biology*. *Nature Genetology*. 2004; 36:1174-1180.

Chase, Daniel L. et al. Mechanism of extrasynaptic dopamine signaling in *Caenorhabditis elegans*. *Nature Neuroscience*. 2004; 7:1096-1103.

Chen, X et al. Production of the neuromodulator H₂S by cystathionine beta-synthase via the condensation of cysteine and homocysteine. *Journal of Biological Chemistry*. Dec 10, 2004; 279(50):52082-6.

Chuikov, Sergel et al. Regulation of p53 activity through lysine methylation. *Nature*. November 18, 2004; 432:353-360.

Compere, SJ et al. DNA methylation controls the inducibility of the mouse metallothionein-I gene lymphoid cells. *Cell*. July 25, 1981; (1):233-40.

Cooney, Craig. Methylation, Epigenetics and Longevity. *Life Extension Magazine*, December 1998.

Costa, M. Model for the epigenetic mechanism of action of nongenotoxic carcinogens. *The American Journal of Clinical Nutrition*. 1995; 61:666S-669S.

Costa, Max. Molecular Mechanisms of Nickel Carcinogenesis. *Biological Chemistry*. 383(6), 961-967.

Cowen, Rob. Twins' gene regulation isn't identical. *Science News*. July 9, 2005; 168:19-20.

Crang, AJ et al. The relationship of myelin basic protein (arginine) methyltransferase to myelination in mouse spinal cord. *Journal of Neurochemistry*. July 1982; 39(1):244-7.

Cresenzi, Carry L. et al. Cysteine Is the Metabolic Signal Responsible for Dietary Regulation of Hepatic Cysteine Dioxygenase and Glutamate Cysteine Ligase in Intact Rats. *Journal of Nutrition*. September 2003; 133:2697-2702.

Cutler, P et al. The effect of lead and aluminium on rat dihydropteridine reductase. *Arch. Toxicology Supplement*. 1987; 11:227-30.

DNA Methylation. *New England Journal of Medicine*. November 20, 2003.

Dagani, Ron. Staph Favors Heme. Given a choice, pathogen prefers to get its iron from iron porphyrin in blood. *Chemical and Engineering News*, September 13, 2004; 7.

Davis, Cindy D et al. DNA Methylation, Cancer Susceptibility, and Nutrient Interactions. *Experimental Biology and Medicine*, 2004; 229:988-995.

Delgado, JM et al. Effects of arsenite on central monoamines and plasmatic levels of adrenocorticotrophic hormone (ACTH) in mice. *Toxicology Lett*. Sept. 30, 2000; 117(1-2):61-7.

Doeker, B. M. et al. Liquorice, growth retardation and Addison's disease. *Horm. Res*. 1999; 52(5):253-5.

Du Vigneaud, Vincent et al. The Utilization of the Methyl Group of Methionine in the Biological Synthesis of Choline and Creatine. *Journal of Biological Chemistry*. August 1, 1941; 140:625-641.

Dunn, Barbara K. One Side of a Larger Picture. *Annals of New York Academy of Sciences*, 2003; 983:28-42.

Epigenetic Effects on Individual Susceptibility to Heavy Metal- and Polycyclic Aromatic Hydrocarbon-induced DNA Damage. National Cancer Institute, Division of Cancer Prevention. Epigenetics in Cancer Prevention: Early Detection and Risk Assessment. National Cancer Institute, Division of Cancer Prevention. Annals of New York Academy of Sciences. 2003; 983:1-4.

Erbe, Richard W et al. Severe Methylenetetrahydrofolate Reductase Deficiency, Methionine Synthase, and Nitrous Oxide - A Cautionary Tale. New England Journal of Medicine. July 3, 2003; 349(1):4-6.

Eto, K et al. A novel enhancing mechanism for hydrogen sulfide-producing activity of cystathionine beta-synthase. Journal of Biological Chemistry. Nov. 8, 2002; 277(45):42680-5.

Eussen, Simone J. P. M. et al. Oral Cyanocobalamin Supplementation in Older People with Vitamin B12 Deficiency. May 23, 2005; 265(10).

Ferguson-Smith, A.C. et al. DNA methylation in genomic imprinting, development, and disease. The Journal of Pathology. September 2001; 195(1):97-110.

Flo, TH et al. Lipocalin 2 mediates an innate immune response to bacterial infection by sequestering iron. Nature. December 16, 2004; 7019:917-21.

Freed, WJ et al. Prevention of strychnine-induced seizures and death by the N-methylated glycine derivatives betaine, dimethylglycine sarcosine. Pharmacological Biochemistry and Behavior, April 1985; 22(4):641-3.

Freitag, Michael et al. DNA Methylation Is Independent of RNA Interference in Neurospora. Science. June 2004; 304:1939.

Funseth, E et al. Effects of coxsackievirus B3 infection on the acute-phase protein metallothionein and on cytochrome P-4501A1 involved in the detoxification processes of TCDD in the mouse. Sci. Total Environ. February 4, 2002; 284(1-3):37-47.

Funseth, E et al. Relation between trace element levels in plasma and myocardium during coxsackievirus B3 myocarditis in the mouse. Biometals. December 2000; 13(4):361-7.

Funseth, E et al. Trace element changes in the myocardium during coxsackievirus B3 myocarditis in the mouse. Biol Trace Elem Res. August 2000; 76(2):149-60.

Geiss, Gk et al. Global impact of influenza virus on cellular pathways is mediated by both replication-dependent and -independent events. Journal of Virology. May 2001; 75(9):4321-31.
<http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=11287581>

Glynn, AW et al. The intestinal absorption of cadmium increases during a common viral infection (coxsackie virus B3) in mice. Chem Biol Interact. May 1, 1998; 113(1):79-89.

Gorbunova, Vera et al. Genome-Wide Demethylation Destabilizes CTG-CAG Trinucleotide Repeats in Mammalian Cells. HMG Advance Access, Sept. 30, 2004.

Ghoshal, K et al. Influenza virus infection induces metallothionein gene expression in the mouse liver and lung by overlapping but distinct molecular mechanisms. Molecular Cell Biology. December 2001; 21(24):8301-17.

Gramsbergen, Jan Bert et al. Glutathione depletion in nigrostriatal slice cultures: GABA loss, dopamine resistance and protection by the tetrahydrobiopterin precursor sepiapterin. Brain Research. May 10, 2002; 935:47-58.

Greaves, Kim et al. Prevalence of Myocarditis and Skeletal Muscle Injury During Acute Viral Infection in Adults. *Archives of Internal Medicine*. January 27, 2003; 263(2):165-68.

Halperin J. J. et al. Neuroactive kynurenines in Lyme borreliosis. *Neurology*. January 1992; 42(1):43-50.

Harding, Cary O. et al. The fate of intravenously administered tetrahydrobiopterin and its implications for heterologous gene therapy of phenylketonuria. *Molecular Genetics and Metabolism*. 2004; 81:52-57.

Haynes, Erin N. et al. Vitamin D Receptor Fok1 Polymorphism and Blood Lead Concentration in Children. *Environmental Health Perspectives*, October 2003; III(13).

Hishida, A. et al. Associations between polymorphisms in the thymidylate synthase and serine hydroxymethyltransferase genes and susceptibility to malignant lymphoma. *J. of Hematology*. 2003; 88(2): 159-166.

Ilback, NG et al. A common viral infection can change nickel target organ distribution. *Toxicology Applied Pharmacology*. May 1992;114(1):166-70.

Ilback, NG et al. Altered distribution of 109cadmium in mice during viral infection. *Toxicology*. 1992; 71(3):193-202.

Ilback, NG. Altered distribution of heavy metals and lipids in coxsackievirus B3 infected mice. *Scand J Infect Dis Suppl*. 1993; 88:93-8.

Ilback, NG et al. Effects of methyl mercury on cytokines, inflammation and virus clearance in a common infection (coxsackie B3 myocarditis). *Toxicol Lett*. December 1996; 89(1):19-28.

Ilback, NG et al. Effects of selenium supplementation on virus-induced inflammatory heart disease. *Biol Trace Elem Res*. July 1998; 63(1):51-66.

Ilback, NG et al. Immune responses and resistance to viral-induced myocarditis in mice exposed to cadmium. *Chemosphere*. September 1994; 29(6):1145-54. Ilback, NG et al. New aspects of murine coxsackie B3 myocarditis--focus on heavy metals. *Eur Heart J*. December 1995;16 (Suppl) O:20-4.

Ilback, NG et al. Metallothionein is induced and trace element balance changed in target organs of a common viral infection. *Toxicology*. July 1, 2004; 199(2-3):241-50.

Ilback, NG et al. Sequential changes in Fe, Cu, and Zn in target organs during early Coxsackievirus B3 infection in mice. *Biol Trace Elem Res*. February 9, 2003; 91(2):111-24.

Ilback, NG et al. Trace element changes in the pancreas during viral infection in mice. *Pancreas*. March 2003; 26(2):190-6.

Ilback, NG et al. Trace element distribution in heart tissue sections studied by nuclear microscopy is changed in Coxsackie virus B3 myocarditis in methyl mercury-exposed mice. *Biol Trace Elem Res*. Winter 2000; 78(1-3):131-47.

Kim, S et al. Studies on myelin basic protein-specific protein methylase I in various dysmyelinating mutant mice. *Biochemical and Biophysical Research Communications*. September 17, 1984. 123(2):468-74.

Krieg, Arthur M. A role for Toll in autoimmunity. *Nature Immunology*. 2002; 3:423-424.

Kruger, Warren et al. Analysis of Functional Variation in Human Metabolic Genes. <http://www.fccc.edu/research/reports/current/kruger.html>. 2001.

Jiang, YH et al. A Mixed Epigenetic/Genetic Model for Oligogenic Inheritance of Autism with a Limited Role for UBE3A. *American Journal of Medical Genetics*, September 2004; 131A(1):1-10.

Jorgensen, Erik M. Dopamine: should I stay or should I go now? *Nature Neuroscience* 7. 2004; 1019-1021.

Junnila, M. et al. Betaine reduces hepatic lipidosis induced by carbon tetrachloride in Sprague-Dawley Rats. *Vet Hum Toxicology*. Oct 1998; 40(5):263-6.

Kauwell, Gail P. A. Emerging Concepts in Nutrigenomics: A Preview of What Is To Come. *Nutrition in Clinical Practice*. 2005;20(1):75-87.

Lamers, Yvonne et al. Supplementation with [6S]-5-methyltetrahydrofolate or folic acid equally reduces plasma total homocysteine concentrations in healthy women. *American Journal of Clinical Nutrition*. 2004; 79:473-478.

Langman, LJ et al. The prevalence and linkage disequilibrium of three methylenetetrahydrofolate reductase (MTHFR) gene polymorphisms varies in different ethnic groups. *INABIS '98*.

Lao, Jose I. et al. The Homocysteine Pathway: A New Target for Alzheimer Disease Treatment? *Drug Development Research*. 2004; 62(3):221-230.

Lazarus, JH. The effects of lithium therapy on thyroid and thyrotropin-releasing hormone. *Thyroid*. October 1998; 8(10):909-13.

Lee, Kim S. et al. Deprenyl, a therapeutic agent for Parkinson's disease, inhibits arsenic toxicity potentiated by gsh depletion via inhibition of jnk activation. *Journal of Toxicology Environmental Health A*. 2004; 67(23-24):2013-24.

Lee, YW et al. Effects of nickel on DNA methyltransferase activity and genomic DNA methylation levels. *Mutation research/Genetic Toxicology & Environmental Mutagenesis*. July 31, 1998; 415(3):213-18.

Lertratanangkoon K et al. Methyl-donor deficiency due to chemically induced glutathione depletion. *Cancer Research*, 1996; 56(5):995-1005.

Li, K et al. Cellular response to conditional expression of hepatitis C virus core protein in Huh7 cultured human hepatoma cells. *Hepatology*. May 2002; 35(5):1237-46.

Li, S et al. Environmental exposure, DNA methylation, and gene regulation: lessons from diethylstilbesterol-induced cancers. *Annals of New York Academy of Sciences*. March 2003; 983:161-9.

Lin TS et al. Synthesis and biological activities of chloroethylurea, methylurea, and nitrosourea analogues of N-deacetylmethylthiocolchicine. *Journal of Medical Chemistry*. December 23, 1980; 23(12):1440-2.

Little, J et al. Colorectal neoplasia and genetic polymorphisms associated with folate metabolism. *European Journal of Cancer Prevention*. February 2002; 11(1):105-110. Liver Detoxification. www.tuberose.com.

Majeed, Kazi Imran. Hyperammonemia. www.emedicine.com/neuro/topic12.htm.

McCabe, Dale C. et al. DNA Methylation, Genomic Silencing, and Links to Nutrition and Cancer. *Nutrition Reviews*. June 2005; 63(1):183-195, 6.

McKay, J.A. Folate and DNA Methylation During In Utero Development and Aging. *Biochemical Society Transactions*, 2004; 32(6):1006-7.

McLaren, D. S. Malnutrition and eye disease in Tanganyika. *Nutrition and the Eye*. 1960; 19(1):89-91.

Miller, L. L., Phd. et al. Liver Injury, Liver Protection, and Sulfur Metabolism: Methionine Protects Against Chloroform Liver Injury Even When Given After Anesthesia. *The Journal of Experimental Medicine*. 1942; 76:421-435.

Minski, Bonnie C. The Future of Nutrition is Here. *Health Conscious*. July 2004. Mitchell, Brett et al. Glucocorticoid-Induced Hypertension and Tetrahydrobiopterin (BH4), a Common Cofactor for the Production of Vasoactive Molecules. *Current Hypertension Reviews*. January 2005; 1(1):1-6.

Nakamuro, Katsuhiko et al. Metabolism of Selenamino Acids and Contribution of Selenium Methylation to Their Toxicity. *Journal of Health Science*. 2002; 46(6):418-421.

Nakamuro, Katsuhiko et al. Preferential resistance of dopaminergic neurons to glutathione depletion in a reconstituted nigrostriatal system. *Brain Research*. 2000; 873: 203-211.

Nakamuro, Katsuhiko et al. Preferential resistance of dopaminergic neurons to the toxicity of glutathione depletion is independent of cellular glutathione peroxidase and is mediated by tetrahydrobiopterin. *Journal of Neurochemistry*. June 2000; 74(6):2305-14.

O'Leary, VB et al. Analysis of methionine synthase reductase polymorphisms for neural tube defects risk association. *Molecular Genetic Metab*. July 2005; 85(3):220-7.

Palermo, M et al. Grapefruit juice inhibits 11 beta-hydroxysteroid dehydrogenase in vivo, in mar. *Clinical Endocrinology*. 2003; 59(2):143-4.

Paulsen M.[1] et al. DNA methylation in genomic imprinting, development, and disease. *The Journal of Pathology*. September 2001; 195(1):97-110(14).

Pritzker, LB et al. Deimination of myelin basic protein. 2. Effect of methylation of MBP on its deimination by peptidylarginine deiminase. *Biochemistry*. May 9, 2000; 39(18):5382-8.

Pryke, LC et al. Branched chain amino acid supplementation for urea cycle disorders. www.geneswest-hgsa2004.org. Puchacz, E et al. Vitamin D and Dopamine. *Molecular Brain Research*. February 1996; 36(1):193-6.

Qadura, Mohammad. Interaction of Mercury with DNA Methyltransferase. Honour's Thesis. 2004.

Razin, A. CpG methylation, chromatin structure and gene silencing-a three-way connection. *EMBO J*. September 1, 1998; 17(17):4905-8.

Richardson, Bruce. Biography. www.med.umich.edu/geriatrics.

Richardson, Bruce C. Role of DNA Methylation in the Regulation of Cell Function: Autoimmunity, Aging and Cancer. *Journal of Nutrition*. 2002; 132:2401S-2405S.

Robertson, Keith. DNA Methylation and Human Disease. *Nature Reviews Genetics*. August 2005; 6:597.

Santamaria-Araujo, Jose Angel et al. The Tetrahydropyranopterin Structure of the Sulfur-free and Metal-free Molybdenum Cofactor Precursor. *The Journal of Biological Chemistry*. April 16, 2004; 279:15994-15999.

Sarg, Bettina et al. Histone H4 Hyperacetylation Precludes Histone H4 Lysine 20 Trimethylation. *Journal of Biological Chemistry*. September 28, 2004; Vol. 279(51):53458-53464.

Secko, D.M. et al. The Cell Cycle: A Universal Cellular Division Program. <http://www.bioteach.ubc.ca>.

Siciliano, S. D. et al. Methyltransferase: an enzyme assay for microbial methylmercury formation in acidic soils and sediments. *Environ Toxicol Chem.* 21(6):1184-90.

Sivendran, S. et al. Two novel mutant human adenylosuccinate lyases associated with autism and characterization of the equivalent mutant *B. subtilis* ASL. *Journal of Biological Chemistry.* 2004; 10:1074.

Skinner, Michael K. Transgenerational effects of environmental toxins require an epigenetic alteration of the germ-line. *Study Summary. Science.* June 3, 2005; 308(5727):1466-1469.

South PK et al. Mortality in mice infected with an amyocarditic coxsackievirus and given a subacute dose of mercuric chloride. *Journal of Toxicol. Environ. Health A.* August 10, 2001; 63(7):511-23.

Stipanuk, MH et al. Cysteine is the metabolic signal responsible for dietary regulation of cysteine dioxygenase and glutamate cysteine ligase in vivo. *Journal of Nutrition.* 2003; 133:2697-2702.

Stipanuk, MH et al. Regulation of cysteine dioxygenase and γ -glutamylcysteine synthetase is associated with hepatic cysteine level. *Journal of Nutritional Biochemistry.* 2004; 15:112-122.

Stampfer Ma J. et al. Methylenetetrahydrofolate reductase polymorphism, dietary interactions, and risk of colorectal cancer. *Cancer Research.* March 15, 1997; 57(6):1098-102.

Starr, J. M. et al. Vitamin B-12, serum folate, and cognitive change between 11 and 79 years. *Journal of Neurology Neurosurgery and Psychiatry.* 2005; 76:291-292.

Stone, T. W. et al. The role of kynurenines in the production of neuronal death, and the neuroprotective effect of purines. *Journal of Alzheimer's Disease.* 2001;3(4):355-366.

Steinberg, K. et al. Genetic Studies of a Cluster of Acute Lymphoblastic Leukemia Cases in Churchill County, Nevada. *Environmental Health Perspectives.* Vol. 15(1): 158-164. January 2007.

Stover, P. IOM DRI Research Synthesis Workshop. June 7-8, 2006. Temmerman S et al. Methylation-dependent T cell immunity to *Mycobacterium tuberculosis* heparin-binding hemagglutinin. *Nature Medicine.* September 2004; 10(9):935-41. Epub August 8, 2004.

Toyosawa, T. et al. Highly purified vitamin B2 presents a promising therapeutic strategy for sepsis and septic shock. *Infection and Immunity.* 2004; 72:1820-1823.

Trimethylglycine TMG Overview. *Life Extension.* www.lef.org Ulrey, Clayton, L. et al. The impact of metabolism on DNA methylation. *Human Molecular Genetics.* 2005; 14 (suppl):R139-R147.

Ulrich C. M. et al. Pharmacogenetics and folate metabolism - a promising direction. *Pharmacogenetics.* May 2002; 3(3):299-313(15).

Uthus, Eric et al. Dietary Arsenic Affects Dimethylhydrazine Aberrant Crypt Formation and Hepatic Global DNA Methylation and Global DNA Methyltransferase Activity in Rats. *USDA Agricultural Research Service.* February 1, 2005.

Volpe, Arturo M. et al. Anxiety and Depression. <http://www.doctorvolpe.com/anxiety.html>. Wang Jing et al. A local mechanism mediates NAD-dependent protection of axon degeneration. *The Journal of Cell Biology,* online July 2005.

- Waterland, Robert A. et al. Transposable Elements: Targets for Early Nutritional Effects on Epigenetic Gene Regulation. *Molecular and Cellular Biology*, August 2003; 23(15):5293-5300.
- Weaver, I. C. G. et al. Epigenetic programming by maternal behavior. *Nature Neuroscience*. June 2004; 27.
- Weitzman, Jonathan. Targeted Methylation--Introducing methylated DNA at specific genomic loci affects local histone acetylation. *Genome. Biology.com*. Dec. 21, 2000.
- Yung, R et al. Unexpected effects of heterozygous dnmt1 null mutation on age-dependent DNA hypomethylation and autoimmunity. *Journal of Gerontology*. June 2001; 56(6):B268-76.
- Zakharyan, RA et al. Arsenite methylation by methylvitamin B12 and glutathione does not require an enzyme. *Toxicology Applied Pharmacology*. February 1, 1999; 154(3):287-91.